



Note: Non hazardous material, therefore it is not necessary to provide you with a safety data sheet according to Article 31 of the EC Regulation 1907/2006 (REACH).

1. Identification of the substance / the preparation / the product and identification of the company

1.1 Identification of the substance / the preparation / the product

Trade Name: **SiLibeads - Ceramicbeads Type ZY Premium**

1.2 Application of the substance / the preparation / the product

To be used as: Grinding media in pearl mills for grinding colour pigments, paint, agro chemicals and minerals.

1.3 Company identification

Manufacturer / Supplier: Sigmund Lindner GmbH
Oberwarmensteinacher Str. 38
D-95485 Warmensteinach
Phone: (+49) 09277-9940
Fax: (+49) 09277-99499
Web: www.sili.eu
E-Mail: reach@sigmund-lindner.com

Information provided by: Mr. Michael Dressler (Quality and Innovation)
Mr. Reinhold Schneider (Quality Assurance)

1.4 Emergency Call

Emergency information: Phone: (+49) 09277-9940

This telephone number can be reached during Office Hours (CET):

Monday - Thursday: 7.00 AM - 4.30 PM

Friday: 7.00 AM – 1.00 PM

2. Possible dangers

Classification: It does not have to be labelled according to the Preparation Guideline, respectively EU-directives 67/548/EEC or 1999/45/EC.

Additional danger advice: In case of inappropriate handling different kinds of injuries are possible - keep away from children!
Risk of slipping due to spillage of product!

It is not necessary that the product has to be labelled according to the EU-directives or national laws.

3. Composition / detailed information on the ingredients

3.1 Chemical characteristics

Description: Beads made of Zirconium Oxide, Yttrium stabilized

3.2 Ingredients

Name	Symbol, R-/S-phrases	Weight	CAS-No.	EG-No. (EINECS)	TSCA Registry
main components					
Zirconium dioxide ZrO ₂ +	Xi, R36/37, S26-39	94,70 %	1314-23-4	215-227-2	TSCA 8(b) Inventory: Zirconium oxide
Hafnium dioxide HfO ₂	no hazardous substance		12055-23-1	235-013-2	----
Yttrium oxide Y ₂ O ₃	Xi, R36/37/38, S26-37/39	5,10 %	1314-36-9	215-233-5	TSCA 8(b) Inventory: Yttrium oxide, powder
further		0,20 %			

The heavy metal content of SiLibeads Type ZY Premium remain within the permitted limits of European Directive 2002/95/EC - RoHS

4. First-aid measures

General Advice: Remove soiled Clothes. In case of persisting discomfort please contact a physician. To helpers: Please protect yourself.

After Inhalation: Provide fresh air.

After Skin Contact: Clean Skin with water and soap.

After Eye Contact: Remove particle carefully from the affected eye. If need be, remove contact lense. Rinse eye thoroughly with plenty of water. Consult a physician if needed.

After Swallowing: Consult a physician after swallowing large quantities.

Advise to the physician: Irritation of skin, mucosa, eyes and to the respiratory system through dust are possible. Decontamination and symptomatic treatments are in most cases sufficient.

5. Fire fighting actions

Suitable extinguishing agents: The product itself is neither combustible nor explosive. extinguishing agents have to be coordinated with the surrounding fire.

For safety reason unsuitable extinguishing agents: Largely unknown



Special dangers:	No information available
Special protective equipment:	Protective equipment has to be coordinated with the surrounding fire

6. Measures by accidental release

Personal protection:	Avoid the build up of dust. Do not inhale any dust.
Environmental measures:	It is not necessary to take actions in respect of product. Disposal has to be done as specified in chapter 13.
Cleaning procedures and absorption:	Dry absorption and if possible re-utilisation of the material.

7. Handling and storage

7.1 Handling

Safety advice:	High risk of slipping due to spillage of product. Avoid dust.
Technical protective measures:	No data available. The product itself is neither combustible nor explosive.

7.2 Storage

Requirements for storage in rooms and containers:	No special storage necessary. Store in tightly closed (original) containers.
Joint storage:	No specially known incompatible materials
Storage class:	LGK 13 (non-flammable solid materials)

8. Exposure limits and personal protection

8.1 Exposure limits

The applicable limits which are to be complied with and monitored, particularly during mechanical processing with a risk of dust:

Parameter	CAS-Number	EINECS	Value	Type of limit
General dust limit	----	----	10 mg/m ³ E 3 mg/m ³ A	Limit at work (AGW) according to the TRGS 900 Regulation
Zirconium silicate	10101-52-7	233-252-7	2,5 mg/m ³ E	Value for Zirconium composition (currently not regulated by law)
				E = breathable dust A = alveolar dust

The natural radioactivity of SiLibeads Type ZY Premium remain within the permitted limits of the Directive 96/29/EURATOM

8.2.1 Exposure limits and monitoring in the workplace

An on-site extraction system is required in the event of gathered dust and thermal pollution from the product.

Respiratory protection:



Use respiratory protection in the event of dust exposure, e.g. a P1 dust mask that conforms to EN 143 or a half mask with particle filter FFP1 or PP2 conforms to EN 141. Caution! Limited wearing period.

Hand protection:



Protective gloves are generally not required. However, for constant skin contact it is necessary to use gloves of low mechanical and special material demands, e.g. Material: Mat. thickness Penetration time:
Butyl rubber min. 0.4 mm min. 30 min. acc. to EN 374

Eye protection:



Side-shielded safety goggles that conform to EN 166 are required when carrying out mechanical processing with exposure to dust.

Body protection:

Generally, normal working clothes are sufficient.

General work protection and hygiene measures:

Do not inhale dust. Avoid contact with eyes, skin and clothes. Do not eat, drink, smoke or snuff during work. Wash hands prior to breaks and after finishing work. Change soiled clothes. Protect skin by using e. g. skin lotions and -creams.

8.2.2 Restrictions and monitoring of the environmental exposure

There are no known properties of the product, that pose dangers to the environment. General operational measures are sufficient to protect the environment.

9. Physical and chemical properties

9.1 General details

Physical condition:	solid
Shape:	round (beads)
Odour:	odourless
Colour:	white

**9.2 Important details regarding health- / environmental protection as well as safety**

pH value:	Non-applicable
Softening point (temperature):	between 2100 - 2500 °C
Flash point:	Non-applicable
Self-ignition point (Solid/Gas):	Non-applicable
Blaze properties:	Non-applicable
Risk of explosion:	Non-applicable
Vapour pressure:	Non-applicable
Specific weight:	6.06 kg/dm ³
Bulk density:	between 3.71 - 3.80 kg/dm ³
Water solubility:	Insoluble in water
Partition coefficient n-Octanol/ water:	Non-applicable
Viscosity:	Non-applicable
Vapour density:	Non-applicable
Evaporation speed:	Non-applicable

9.3 Additional details

There are no further details required regarding safety-relevant parameters.

10. Stability and reactivity

In case of appropriate handling and storage no dangerous reactions will occur.

10.1 Conditions to be avoided

unknown

10.2 Dangerous decomposition products

unknown

11. Toxicological data

There is no toxicological data available.

Irritation of skin, mucosa, eyes and to respiratory system through dust are possible

12. Environmental details

Ecological respectively ecotoxicological data is not available.

According to our knowledge, the product does not cause any damages to the environment, if proper handled and the product has been applied as intended.



13. Disposal information

No waste is produced from the product, that would require special supervision according to the German "Closed Substance Waste Management Act" (Krw/-AbfG) respectively EU-directives 91/689/EEC and 2006/12/EC.

13.1 Product

Re-use product remainders again if possible

13.2 Uncleaned Packaging

Recommendation: Packaging can be used again if not contaminated. Cleaning agent: water

14. Transport details

Non-hazardous materials in terms of ADR/GGVS, RID/GGVE, ICAO/IATA, IMDG.

15. Legal regulations

15.1 EU Regulations

Classification and labelling:

None in accordance to the EU Directive 67/548/EEC (substance directive), 1999/45/EC (dangerous preparation directive) or in accordance to any other known EU regulations.

Assessment according to Food Legislation:

SiLibeads Type ZY Premium are a consumer good in the in the Sense of §2 Clause 6, No. 1, of the German Food and Feed Code (LFGB), commodities and feeding products. Therefore they comply with the legal requirements.

SiLibeads Type ZY Premium comply with the requirements § 31 of the German Food and Feed Code (LFGB) and the European Food Regulation 1935/2004/EC, Article 3.

Compliance according to other legal regulations:

SiLibeads Type ZY Premium comply with the requirements of the European Regulation 1907/2006/EC on the registration, evaluation, authorisation and restriction of chemical substances (REACH) and the Regulation 1272/2008/EC on the classification, labelling and packaging of chemical substances (CLP).

15.2 National Regulations (UK)

Classification and labelling:

The product is not due to labelling according to UK regulations.



Other UK regulations and guidances:

- Health and Safety at Work Act 1974.
- The Management of Health and Safety at Work regulations 1992.
- L5 Control of substances hazardous to Health. The Control of Substances Hazardous to Health Regulations 2002.
- Approved codes of practice and guidance.
- Guidance Note EH40 - Occupational Exposure Limits.

16. Additional information

16.1 Summary of the Risk-/Safety-Phrases (chapters 3.2) (rating of independent substances)

R36/37	Irritation to eyes and respiratory system
R36/37/38	Irritation to eyes, respiratory system and skin
S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S37/39	Wear suitable gloves and eye/face protection.
S39	Wear eye/face protection.

16.2 Recommended Limitations of Use

SiLibeads are not a toy and must therefore be stored away from children. A resale as toy requires the EC conformity evaluation and the distributor's compliance with the legal regulations. We expressly point out, that a conformity evaluation in this sense has not been carried out by us.

16.3 Further information

Company details: Sigmund Lindner GmbH
Oberwarmensteinacher Str. 38
D-95485 Warmensteinach
Phone: (+49) 09277-9940
Fax: (+49) 09277-99499
Web: www.sili.eu

Technical contacts: Mr. Michael Dressler (Quality and Innovation)
information Mr. Reinhold Schneider (Quality Assurance)

All details noted in this data sheet correspond to our knowledge at the time this data sheet has been put into effect. This information should be used as a guideline for a safe treatment in accordance with the products mentioned in our material safety data sheet, during storage, production, transport and disposal. This information is not applicable to other products, to newly produced materials, if the product mentioned in this material safety data sheet is mixed or blended with other articles or when other transformations are made to it.

Date of the current version: 25.03.2011
Reason for the current version: Chapter 9.2, Bulk density
Replaced issue: MSDS SiLibeads Type ZY Premium; Version 5/2011